

Introducing HasciSE

Date: Thurs 26th November

Time: 14:00pm



A change in process?

Picking


- Involves significant cost
- Picking errors can affect customer satisfaction



Current methods



What bottlenecks can occur?



Introducing the ACD - HasciSE

- Enable hands-free barcode scanning
- No training required
- Increases scan and operator work rate
- Reduces data entry errors – increasing inventory accuracy
- Visual (LED), vibration and audible ‘scan’ feedback - Can be used in noisy & poorly lit environments
- Rugged design, but very light-weight and with rounded edges - Reduced user fatigue
- Reduces breakage and repair rates (highly unlikely to get dropped) **“A dropped scanner is not covered by warranty”**



HasciSE Technical Presentation

- Compatible with any BT device 4.0 and above
- Quick & Easy device pairing



HasciSE Technical Presentation

- Compatible with any BT device 4.0 and above
- Quick & Easy device pairing
- The ACD EasyToConnect App ensures a safe and secure connection.
- Ensures no interference with other HasciSE or similar devices operating in close proximity

Simple pairing with ACD EasyToConnect!



Your advantages at a glance:

- Easy pairing with all Bluetooth-capable opposite devices
- Manual entry or scanning of the serial number
- Secure and error-free connection




HasciSE Technical Presentation

- Compatible with any BT device 4.0 and above
- Quick & Easy device pairing
- The ACD EasyToConnect App ensures a safe and secure connection.
- Ensures no interference with other HasciSE or similar devices operating in close proximity




And this is how it works:

1. Preparation



- Open app and activate Bluetooth / location


2. Scan input



- Scanning the serial number


OR

2. Manual input



- Manual input of the serial number

3. Connection



- Fast pairing via "Connect"

For further questions please contact our support:

Tel: +49 7392 708-488 - Email: Support.Technik@acd-elektronik.de

ACD
GROUP

HasciSE Technical Presentation

- Compatible with any BT device 4.0 and above
- Quick & Easy device pairing
- Weight 45 g
- Dimensions: 54 x 45 x 14 mm
- SE4770 imager to scan 1D & 2D Barcodes
- Scanner range: 4cm to 92 cm
- Easily supports a full working shift on a single charge
- Battery/Charging status LED
- 2-unit charging cradle – enabling rapid hot swap
- IP54
- CE Certified



HasciSE at work

- Three different trigger options:
 1. **Scanner button (on device)**
 2. **Wrist strap with finger button**
 3. **Proximity sensor**
- Trigger option easily configured using menu of barcodes (Provided by ACD)
- Customer specific options
- Additional wearing options



Added Value

- Built with industrial components
- Long term availability
- UK based post-sales support
- Aggressively & competitively priced
- 3 year warranty
- Customer specific option
- Built for purpose for industrial environments



Thank you

t: 01425 489 234

e: sales@midsl.co.uk

w: midsl.co.uk

Specialists in portable data collection systems

